

# Standard Type, 100/200W - LEJS
## LEJS40NZA-900

Datasheet

## General series information

- Body size: 40 and 63 mm
- Stroke: 200 to 1500 mm
- High-precision and high-rigidity with a double axis linear guide construction
- Compatible with several motors: OMRON, Siemens AG, Beckhoff automation and more.

## Standard specifications


| | |
|---|---|
| Accuracy | Basic Type |
| Size | 40 |
| Motor Type | NZ (Mounting Type Z) |
| Lead Screw | A (LEJS40: 16mm; LEJS63: 20mm, LEJS100: 25mm) |
| Stroke | 900 mm |
| Maximum ambient temperature | 40 °C |
| Minimum ambient temperature | 5 °C |
| Approvals | CE |
| Impact/Vibration resistance | 50/20 m/s2 |
| Horizontal work load | 30kg |
| Vertical work load | 5 kg |
| Speed | 480 mm/s |
| Max. Acceleration/deceleration | 20000 mm/s2 |
| Positioning repeatability | ± 0.02 mm |
| Lost motion | 0.1 max. |
| Weight | 10.468 Kg |

Specifications are subject to change without prior notice and any obligation on the part of the manufacturer.



SMC CORPORATION Zuazobidea 14, 01012, Vitoria-Gasteiz, Álava +34 945184100 +34 945184126 www.smc.eu support.marketingeurope@smc.com

# Dimensions




Specifications are subject to change without prior notice and any obligation on the part of the manufacturer.



**SMC CORPORATION** Zuazobidea 14, 01012, Vitoria-Gasteiz, Álava +34 945184100 +34 945184126 www.smc.eu support.marketingeurope@smc.com

## Additional information

Catalogue LE_motorless-E_EU.pdf

Specifications are subject to change without prior notice and any obligation on the part of the manufacturer.



SMC CORPORATION Zuazobidea 14, 01012, Vitoria-Gasteiz, Álava +34 945184100 +34 945184126 www.smc.eu support.marketingeurope@smc.com